

II. CLAIM AMENDMENTS

1. (Cancelled)

2. (Currently Amended) A transmitter optical sub assembly including a laser source having associated therewith a laser driver as well as a package for said laser source and said laser driver, wherein said package includes respective separate compartments for said laser source and said laser driver, the laser source and the laser driver being arranged in said separate compartments whereby said laser source is exempt from being directly irradiated by said laser driver, and ~~The assembly of claim 1,~~ wherein said package includes a package wall opaque to IR emission separating said laser source and said laser driver.

3. (Currently Amended) ~~The assembly of claim 1~~claim 2, wherein said package is essentially comprised of a shaped body of an IR opaque material.

4. (Currently Amended) ~~The assembly of claim 1~~claim 2, wherein said package is essentially comprised of a shaped body of a ceramics material.

5. (Currently Amended) ~~The assembly of claim 1~~claim 2, wherein said package is essentially comprised of a shaped body of alumina.

6. (Currently Amended) ~~The assembly of claim 1~~claim 2, wherein the compartment provided in said package for said laser source is surrounded by walls.

7. (Previously Presented) The assembly of claim 6, further comprising feed through lines connecting said laser source to said laser driver, wherein said feed through lines extend through the walls of said compartment provided in said package for said laser source.

8. (Currently Amended) ~~The assembly of claim 1~~claim 2, further comprising feed through lines connecting said laser source to said laser driver, wherein said lines are laid out onto a substrate such an alumina substrate.

9. (Currently Amended) The assembly of ~~claim 1~~claim 2, wherein said package includes a compartment for hosting said laser source together with alignment optics associated therewith.

10. (Currently Amended) The assembly of ~~claim 1~~claim 2, wherein the compartment provided in said package for said laser driver is defined by a base member extending from the body of the package.

11. (Currently Amended) The assembly of ~~claim 1~~claim 2, wherein the compartment provided in said package for said laser driver is defined by a base member exempt from boundary walls.

12. (Currently Amended) The assembly of ~~claim 1~~claim 2, wherein the compartment provided in said package for said laser driver includes a recess for at least partly housing the laser driver.

13. (Currently Amended) The assembly of ~~claim 1~~claim 2, wherein the compartment provided in said package for said laser driver has associated a thermal path extending through the package.

14. (Original) The assembly of claim 13, wherein said thermal path includes at least one metalization extending through the package.

15. (Previously Presented) The assembly of claim 13, wherein said thermal path extends towards a plate.

16. (Original) The assembly of claim 15, wherein said plate is generally exposed to the outside surface of the package.

17. (Previously Presented) The assembly of claim 15, wherein said plate includes a ribbed configuration to guarantee thermal dissipation.

18. (Currently Amended) A transmitter optical sub assembly including a laser source having associated therewith a laser driver as well as a package for said

laser source and said laser driver, wherein said package includes respective separate compartments for said laser source and said laser driver, and said package includes a package wall opaque to IR emission separating said laser source and said laser driver, the laser source and the laser driver being arranged in said separate compartments whereby said laser source is exempt from being directly irradiated by said laser driver, and said compartment provided in said package for said laser driver is defined by a base member exempt from boundary walls.